

IDS

R  
G  
E  
N  
T  
I

# LINJA INDUSTRIALE

## LISTE CMIMESH

Nr. 1 Dt. 01/06/17

Me TVSH

**IDS Detergenti shpk**  
Uzina 12 Ish Kombinati Metalurgjik  
3001 Elbasan Alb  
Cont. +355692086130  
e-mail [info@idsdetergenti.com](mailto:info@idsdetergenti.com)  
[www.idsdetergenti.com](http://www.idsdetergenti.com)

# TREGUES

1	FOAM CLOR
2	STRONG CLOR
3	DEEP WASH
4	ALCOSAN
5	ALCOGEL
6	ANTIBAKT SOAP
7	FOAM SOAP
8	CLOREX GEL
9	SODE KAUSTIKE SOL 28-30%
10	WC GEL
11	LETER HIGJENIKE 180 Gr
11	LETER HIGJENIKE 300 Gr
11	LETER ZIG-ZAG 175 Fije
11	BOBINE 2 Kg
12	STACION SHKUME
13	LISTA E CMIMEVE

Zgjidhja me e mire per  
pastrimin profesional,  
ne industrine ushqimore  
dhe te perpunimit!

# FOAM CLOR



I disponueshem ne paketim  
**Bidon 20 Kg, IBC 1000 Kg**



- **DETERGJENT SHKUME ALKALIN PER PERDORIM IDUSTRIAL**
- **CHLORATE FOAMING ALCALINE DETERGENT FOR INDUSTRIAL USE**

**ALB** **FUSHA E APLIKIMIT:** Eshte nje produkt heqes yndyror me baze shkume, i formuluar per pastrimin dhe njekohesisht per dizinfektimin e siperfaqeve, serbatoreve, paisjeve ne linjat e prodhimit ushqimor si dhe te sektorit te bylmetit prej celiku inox. Forca e tij siguron heqjen e yndyrerave proteike mbi siperfaqet qe trajtohen ndersa formula e tij me baze klori aktiv dhe supstancave te tjera me veprim te forte shkumues garanton nje dizinfektim efikas. Jo korroziv me celikun, gomen, plastiken, gresin, rezinat epoxidike dhe cimenton. Korrozive me aluminin. Perdoren me kujdes mbi celikun e xinguar dhe rezinat fenolike.

**ENG** **SPHERE OF APPLICATION:** This is a foaming degrease formulated for the simultaneous cleaning and sanitization of walls and stainless steel food production tanks such as, for example, the polyvanents used in the dray sector. Its degreasing power removes protein and fat residues from the treated surface while its formula based on active chlorine and supstane with a strong foaming action provide effective sanitization. It does not corrosive stainless steel, nubber, plastic, stonware, epoxy resin end cement. Corrosive: It does corrode aluminium. Use sparingly on galvanized and tin-plated steel and on phenolic resins.

**ALB** **MENYRAT E PERDORIMIT:** Treteni produktin ne përqendrime nga 1% deri ne 5% nepërmjet sistemit me presion te ulet dhe sprucojeni mbi siperfaqet qe duhet te trajtohen. Lereni te reagojen per 5-10min. Shpelajeni me uje te bollshem. Keshillohet, per permiresimin e performances se produktit te perdoret uje i vaket.

**ENG** **INSTRUCTION FOR USE:** Dilute the product in concentrations varying from 1% to 5% using a suitable low pressure system and spray on the service to be treated. Let dry for about 5-10 minutes then rinse with abundant water. For best product performance, werecommend diluing the product with tepid water.



**GERRYES  
COROSIVE**

**KUJDES:** Produkti mund te ndoti lumejt, detin, liqejte. Mos ekzagjeroni ne perdorim. Produkt i degradueshem 90%  
**Percaktimi i rrezikshmerise: S34, S26, S28, S37, S39, S45, S61.**  
**ATTENTION:** The product may cause pollution in the sea, lake and rivers. Do not use excessive amount. Biodegradability 90%  
**Determining the danger: S34, S26, S28, S37, S39, S45, S61.**



# STRONG CLOR



I disponueshem ne paketim  
**Bidon 20 Kg, IBC 1000 Kg**



- **DETERGJENT SHKUME I PERQENDRUAR ALKALIN PER PERDORIM IDUSTRIAL**
- **CHLORATE FOAMING ALCALINE DETERGENT FOR INDUSTRIAL USE**

**ALB** **FUSHA E APLIKIMIT:** Eshte nje produkt heqes yndyror me baze shkume, i formuluar per pastrimin dhe njekohesisht per dizinfektimin e siperfaqeve, serbatoreve, paisjeve ne linjat e prodhimit ushqimor si dhe te sektorit te bylmetit prej celiku inox. Forca e tij siguron heqjen e yndyrerave proteike mbi siperfaqet qe trajtohen ndersa formula e tij me baze klori aktiv dhe supstancave te tjera me veprim te forte shkumues garanton nje dizinfektim efikas. Jo korroziv me celikun, gomen, plastiken, gresin, rezinat episodike dhe cimenton. Korrozive me aluminin. Perdoren me kujdes mbi celikun e xinguar dhe rezinat fenolike.

**ENG** **SPHERE OF APPLICATION:** This is a foaming degrease formulated for the simultaneous cleaning and sanitization of walls and stainless steel food production tanks such as, for example, the polyvanents used in the dairy sector. Its degreasing power removes protein and fat residues from the treated surface while its formula based on active chlorine and substance with a strong foaming action provide effective sanitization. It does not corrode stainless steel, rubber, plastic, stoneware, epoxy resin end cement. Corrosive: It does corrode aluminium. Use sparingly on galvanized and tin-plated steel and on phenolic resins.

**ALB** **MENYRAT E PERDORIMIT:** Treteni produktin ne perqendrime nga 1% deri ne 5% nepermjet sistemit me presion te ulet dhe sprucojeni mbi siperfaqet qe duhet te trajtohen. Lereni te reagojen per 5-10min. Shpelajeni me uje te bollshem. Keshillohet, per permiresimin e performances se produktit te perdoret uje i vaket.

**ENG** **INSTRUCTION FOR USE:** Dilute the product in concentrations varying from 1% to 5% using a suitable low pressure system and spray on the service to be treated. Let dry for about 5-10 minutes then rinse with abundant water. For best product performance, we recommend diluting the product with tepid water.



**GERRYES  
COROSIVE**

**KUJDES:** Produkti mund te ndoti lumejt, detin, liqejte. Mos ekzagjeroni ne perdorim. Produkt i degradueshem 90%  
**Percaktimi i rrezikshmerise: S34, S26, S28, S37, S39, S45, S61.**  
**ATTENTION:** The product may cause pollution in the sea, lake and rivers. Do not use excessive amount. Biodegradability 90%  
**Determining the danger: S34, S26, S28, S37, S39, S45, S61.**



# DEEP WASH



I disponueshem ne paketim  
**Bidon 20 Kg, IBC 1000 Kg**



**- DETERGJENT I PERQENDRUAR PASTRIMI  
AMBJETESH DHE PAJISJESH  
PER PERDORIM INDUSTRIAL  
- CONCENTRATE CLEANING DETERGENT FOR  
SURFACES AND EQUIPMENT  
FOR INDUSTRIAL USE**

**ALB FUSHA E APLIKIMIT:** Eshte nje produkt i perqendruar heqes yndyror i formuluar per pastrimin dhe njekohesisht per dizinfektimin e siperfaqeve, pareteve, furrave dhe aspiratoreve dhe pajisjeve prej celiku inoks ne linjat e prodhimit ushqimor dhe sektorit te bulmetit, te restoranteve etj. Siguron heqjen e yndyrnave proteike ne siperfaqet qe trajtohen duke garantuar nje dizinfektim efikas.

**ENG SPHERE OF APPLICATION:** This is a degrease concentrated product formulated for the cleaning and simultaneously sanitization of surfaces, walls, sinks, aspirators and stainless steel appliances in the food production, dairy sectors and community & restaurant. Provides the removal of protein fats from the treated surfaces by guaranteeing efficient disinfection.

**ALB MENYRAT E PERDORIMIT:** Per perdorim te pergjithshem hollohen 50 ml Deep Wash ne nje liter uje te vaket. Sprucohet solucioni mbi siperfaqet qe duhet te trajtohen, lihet te reagoje per disa minuta pastaj shpelahe me uje te bollshem. Per perdorim ne impiantet me presion te larte Deep Wash hollohet ne solucion ne raport 2% (20 ml per cdo liter uje) dhe ne temperature rreth 50°C.

**ENG INSTRUCTION FOR USE:** For general use dilute 50 ml Deep Wash for 1 liter of lukewarm water. Spray the solution onto surfaces that need to be treated, leave to react for a few minutes and then wash with plenty of water. For use in high pressure systems dilute Deep Wash in a 2% solution (20 ml for 1 liter water) in temperature at about 50°C.



**GERRYES  
COROSIVE**

**KUJDES:** Produkti mund te ndoti lumejt, detin, liqejte. Mos ekzagjeroni ne perdorim. Produkt i degradueshem 90%  
**Percaktimi i rrezikshmerise:** H314, P264, P280, P304, P340, P310. **Permban Hidroksid Potasi!**  
**ATTENTION:** The product may cause pollution in the sea, lake and rivers. Do not use excessive amount. Biodegradability 90%  
**Determining the danger:** H314, P264, P280, P304, P340, P310. **Contains Potassium Hydroxide!**





## I disponueshem ne paketim Bidon 5 Kg, Bidon 20 Kg



- **SOLUCION DUARSH HIGJENIZUES ALKOOLIK VETETHARES PER PERDORIM INDUSTRIAL**
- **HYGIENIC ALCOHOLIC HAND SOLUTION FOR INDUSTRIAL USE**

**ALB**

**FUSHA E APLIKIMIT:** Produkt alkoolik per pastrimin dhe higjienizimin e duarve i perdorshem ne te gjitha situatat ku kerkohet pastrimi dhe higjienizimi i forte i duarve pa qene i nevojshem perdorimi i ujit dhe sapunit. Fale prezences se perberesve te tij me natyre alkooolike, Alcosan higjenzon ne menyre te sigurte epidermen e duarve si dhe thahet ne menyre te shpejte ne ajer. Duart rrine te hidratuara fale agjenteve te tij emoliente.

**ENG**

**SPHERE OF APPLICATION:** An alcoholic product for cleaning and sanitization of hands in all situations where cleaning and strong hygiene are required without the need for water and soap. Due to the presence of alcoholic ingredients, Alcosan safely sanitizes the epidermis of the hands and rapidly dries in the air. Hands remain hydrated due to its emollient agents.

**ALB**

**MENYRAT E PERDORIMIT:** Sprucohet mbi duar nga dispenser ose nebulizatore automatik. Ferkohen duart deri sa Alcosan te thahet.



**ENG**

**INSTRUCTION FOR USE:** Spray on hands from dispenser or automatic nebulizer. Rub your hands until Alcosan drains.



**KUJDES:** Produkti mund te ndoti lumejt, detin, liqejte. Mos ekzagjeroni ne perdorim. Produkt i degradueshem 90%  
**Percaktimi i rrezikshmerise:** H225, H319, P313, P337.  
**ATTENTION:** The product may cause pollution in the sea, lake and rivers. Do not use excessive amount. Biodegradability 90%  
**Determining the danger:** H225, H319, P313, P337.



## I disponueshem ne paketim Bidon 5 Kg, Bidon 20 Kg



- **SOLUCION DUARSH HIGJENIZUES ALKOOLIK VETETHARES PER PERDORIM INDUSTRIAL**
- **HYGIENIC ALCOHOLIC HAND SOLUTION FOR INDUSTRIAL USE**

**ALB**

**FUSHA E APLIKIMIT:** Produkt alkoolik xhel per pastrimin dhe higjenizimin e duarve i perdorshem ne te gjitha situatat ku kerkohet pastrimi dhe higjenizimi i forte i duarve pa qene i nevojshem perdorimi i ujit dhe sapunit. Fale prezences se perberesve te tij me natyre alkoolike, Alcogel higjenizon ne menyre te sigurte epidermen e duarve si dhe thahet ne menyre te shpejte ne ajer. Duart rrine te hidratuara fale agjenteve te tij emoliente.

**ENG**

**SPHERE OF APPLICATION:** An alcoholic gel product for cleaning and sanitization of hands in all situations where cleaning and strong hygiene are required without the need for water and soap. Due to the presence of alcoholic ingredients, Alcogel safely sanitizes the epidermis of the hands and rapidly dries in the air. Hands remain hydrated due to its emollient agents.

**ALB**

**MENYRAT E PERDORIMIT:** Sprucohet mbi duar nga dispenser. Ferkohen duart deri sa Alcogel te thahet.

**ENG**

**INSTRUCTION FOR USE:** Spray on hands from dispenser. Rub your hands until Alcogel drains.



**KUJDES:** Produkti mund te ndoti lumejt, detin, liqejte. Mos ekzagjeroni ne perdorim. Produkt i degradueshem 90% Percaktimi i rrezikshmerise: H225, H319, P313, P337.

**ATTENTION:** The product may cause pollution in the sea, lake and rivers. Do not use excessive amount. Biodegradability 90%, Determining the danger: H225, H319, P313, P337.





I disponueshem ne paketim  
**Bidon 5 Kg, Bidon 20 Kg**



- **SAPU LIKUID DUARSH HIGJENIZUES, ANTIBAKTERIAL PER PERDORIM INDUSTRIAL**
- **HYGIENIC, ANTIBACTERIAL LIQUID HAND SOAP FOR INDUSTRIAL USE**


**ALB FUSHA E APLIKIMIT:** Sapu likuid higjenizues pa parfum per pastrimin e duarve i perdorshem nga personeli i industrise ushqimore, spitaleve, klinikave mjekesore etj. Fale formulese se tij higjenizuese sapuni likuid Antibakt garanton higjenizimin korrekt te duarve te personelit te sektorit te bareve, restoranteve, pasticerve, furrave te bukes etj.

**ENG SPHERE OF APPLICATION:** Non-perfumed hygienic liquid soap for cleaning the hands used by food industry staff, hospitals, medical clinics, etc. Given its hygienic formulation antibacterial liquid soap guarantees the correct hands sanitization of the staff of the bars, restaurants, pastry shops, bakeries etc.

**ALB MENYRAT E PERDORIMIT:** Sprucohet mbi duar nga dispenser manuale ose automatike. Lajini shpesh duart sidomos pasi te keni perdurur sherbimet higjenike, te keni prekur mbeturina, perpara se te rimerni pozicionin tuaj te punes. Ferkohen duart deri sa te krijohet shkume e qendrueshme dhe shpelahen me uje te bollshem.

**ENG INSTRUCTIONS FOR USE:** Spray on hands from manual or automatic dispenser. Always wash your hands, especially after using the hygiene services, touching the garbage before resetting your job position. Wash hands until firm foams are formed and spilled with high water.

**KUJDES:** Produkti mund te ndoti lumejt, detin, liqejte. Mos ekzagjeroni ne perdorim. Produkt i degradueshem 90%  
**PERBERJA:** Uje, Sodium Laureth Sulfate, Cocamidopropyl Betaine, Alkol Denat, Glicerine, Acid Laktik, EDTA, Sodium Chloride, Methylchloroisothiazolinone, Triclosan.  
**ATTENTION:** The product may cause pollution in the sea, lake and rivers. Do not use excessive amount. Biodegradability 90%  
**COMPOSITION:** Water, Sodium Laureth Sulfate, Cocamidopropyl Betaine, Alcohol Denat, Glycerine, Lactic Acid, EDTA, Sodium Chloride, Methylchloroisothiazolinone, Triclosan.





# FOAM SOAP



I disponueshem ne paketim  
**Bidon 5 Kg, Bidon 20 Kg**



- **SAPU LIKUID DUARSH SHKUME, ANTIBAKTERIAL PER PERDORIM INDUSTRIAL**
- **HYGIENIC, ANTIBACTERIAL LIQUID HAND FOAM SOAP FOR INDUSTRIAL USE**

**ALB FUSHA E APLIKIMIT:** Sapu likuid higjenizues shkume per pastrimin e duarve i perdorshem nga personeli i industrise ushqimore, spitaleve, klinikave mjekesore etj. Fale formulese se tij higjenizuese sapuni foam Antibakt garanton higjenizimin korrekt te duarve te personelit te sektorit te bareve, restauranteve, pasticerive, furrave te bukes etj.

**ENG SPHERE OF APPLICATION:** Hygienic foam soap for cleaning the hands used by food industry staff, hospitals, medical clinics, etc. Given its hygienic formulation antibacterial foam soap guarantees the correct hands sanitization of the staff of the bars, restaurants, pastry shops, bakeries etc.

**ALB MENYRAT E PERDORIMIT:** Sprucohet mbi duar nga dispenser manuale ose automatike. Lajini shpesh duart sidomos pasi te keni perdorur sherbimet higjenike, te keni prekur mbeturina, perpara se te rimorni pozicionin tuaj te punes. Ferkohen duart deri sa te krijohet shkume e qendrueshme dhe shpelahen me uje te bollshem.

**ENG INSTRUCTIONS FOR USE:** Spray on hands from manual or automatic dispenser. Always wash your hands, especially after using the hygiene services, touching the garbage before resetting your job position. Wash hands until firm foams are formed and spilled with high water.

**KUJDES:** Produkti mund te ndoti lumejt, detin, liqejte. Mos ekzagjeroni ne perdorim. Produkt i degradueshem 90%  
**PERBERJA:** Uje, Sodium Laureth Sulfate, Cocamidopropyl Betaine, Alkol Denat, Glicerine, Acid Laktik, EDTA, Sodium Chloride, Methylchloroisothiazolinone, Triclosan.  
**ATTENTION:** The product may cause pollution in the sea, lake and rivers. Do not use excessive amount. Biodegradability 90%  
**COMPOSITION:** Water, Sodium Laureth Sulfate, Cocamidopropyl Betaine, Alcohol Denat, Glycerine, Lactic Acid, EDTA, Sodium Chloride, Methylchloroisothiazolinone, Triclosan.



# CLOREX GEL



I disponueshem ne paketim  
**Bidon 20 Kg, IBC 1000 Kg**



- **SOLUCION HIPOKLORIT NATRIUMI XHEL PER PERDORIM INDUSTRIAL**
- **SODIUM HYPOCHLORITE GEL SOLUTION FOR INDUSTRIAL USE**

**ALB** **FUSHA E APLIKIMIT:** Solucion hipoklorit natriumi xhel alkaline eshte i pershtatshem dhe efikas per cdo tip pastrimi, vecanerisht per pastrimin dhe dezinfektimin e sanitarëve, dyshemeve, pajisjeve te guzhinave, stufave, robave dhe pelhurave. Nuk duhet te perzihet me Acide, zhvillon gazra toksike.

**ENG** **SPHERE OF APPLICATION:** Sodium hypochlorite solution alkaline gel is suitable and efficient for any type of cleaning, especially for cleaning and sanitizing of sanitary, floor, kitchen equipments, stoves and fabrics. It should not be mixed with Acids, it develops toxic gases.

**ALB** **MENYRAT E PERDORIMIT:** Hullohet sipas rastit ne uje ose sprucohet direkt mbi siperfaqet qe duhet te pastrohen dhe higienizohen. Per dyshemete ne perqendrim 3-5% ( 30-50 g/lit ), lihet te reagoje 5-10 min, pastaj shpelalet. Per zbardhimin dhe dezinfektimin e robave dhe pelhurave ne perqendrim 100-200 gr ne 10 litra uje.

**ENG** **INSTRUCTION FOR USE:** Dilute the product in water or spray directly onto surfaces that need to be cleaned and sanitized. For floors in a concentration of 3-5% (30-50 g / lt), leave to React 5-10 min, then spool. For the bleaching and disinfection of fabric in concentration 100-200 grams per 10 liters of water.



**KUJDES:** Produkti mund te ndoti lumejt, detin, liqejte. Mos ekzagjeroni ne perdorim. Permban Hidroksid Natriumi  
**Percaktimi i rrezikshmerise: H314, H400, EUH031, EUH206, P254, P273, P280, P304, P340, 310.**  
**ATTENTION:** The product may cause pollution in the sea, lake and rivers. Do not use excessive amount. Cont Sodium Hydr.  
**Determining the danger: H314, H400, EUH031, EUH206, P254, P273, P280, P304, P340, 310.**



# SODE KAUSTIKE



I disponueshem ne paketim  
**Bidon 20 Kg, IBC 1000 Kg**



- SODE KAUSTIKE SOL 28-30%  
PER PERDORIM INDUSTRIAL
- CAUSTIC SODA SOL 28-30%  
FOR INDUSTRIAL USE

**ALB** **FUSHA E APLIKIMIT:** Sode kaustike sol 28-30% eshte i pershtatshem dhe efikas per cdo tip pastrimi, vecanerisht per pastrimin e sanitarëve, dyshemeve, pajisjeve. Nuk duhet te perzihet me Acide, zhvillon gazra toksike.

**ENG** **SPHERE OF APPLICATION:** Caustic Soda sol 28-30% is suitable and efficient for any type of cleaning, especially for cleaning and sanitized of sanitary, floor. It should not be mixed with Acids, it develops toxic gases.

**ALB** **MENYRAT E PERDORIMIT:** Hullohet sipas rastit ne uje ose sprucohet direkt mbi siperfaqet qe duhet te pastrohen dhe higjenizohen. Per dyshemete ne perqendrim 3-5% ( 30-50 g/lit ), lihet te reagoje 5-10 min, pastaj shpelalet.

**ENG** **INSTRUCTION FOR USE:** Dilute the product in water or spray directly onto surfaces that need to be cleaned and sanitized. For floors in a concentration of 3-5% (30-50 g / lt), leave to React 5-10 min, then spool.



**KUJDES:** Produkti mund te ndoti lumejt, detin, liqejte. Mos ekzagjeroni ne perdorim. Perdorni maska dhe doreza.  
**Percaktimi i rrezikshmerise:** H314, H400, EUH031, EUH206, P254, P273, P280, P304, P340, 310.  
**ATTENTION:** The product may cause pollution in the sea, lake and rivers. Do not use excessive amount.  
**Determining the danger:** H314, H400, EUH031, EUH206, P254, P273, P280, P304, P340, 310.



# WC GEL



I disponueshem ne paketim  
**Bidon 5 Kg**



- WC GEL  
PER PERDORIM INDUSTRIAL
- WC GEL  
FOR INDUSTRIAL USE

**ALB** FUSHA E APLIKIMIT: Wc Gel eshte i pershtatshem dhe efikas vecanerisht per pastrimin e thelle te sanitareve, dyshemeve te banjove, etj.

**ENG** SPHERE OF APPLICATION: Wc Gel is suitable and efficient especially for deep cleaning and sanitized of sanitary, bathroom floor.

**ALB** MENYRAT E PERDORIMIT: Sprucohet direkt mbi siperfaqet qe duhet te pastrohen dhe higjenzohen. Lihet te reagoje 5-10 min, pastaj shpelahe.

**ENG** INSTRUCTION FOR USE: Spray directly onto surfaces that need to be cleaned and sanitized. Leave to react 5-10 min, then spool.



**KUJDES:** Produkti mund te ndoti lumejt, detin, liqejte. Mos ekzagjeroni ne perdorim. Perdorni doreza.  
**Percaktimi i rrezikshmerise:** H314, H400, EUH031, EUH206, P254, P273, P280, P304, P340, 310.  
**ATTENTION:** The product may cause pollution in the sea, lake and rivers. Do not use excessive amount. Use hand gloves.  
**Determining the danger:** H314, H400, EUH031, EUH206, P254, P273, P280, P304, P340, 310.





# LETER HIGJENIKE



- LETER HIGJENIKE  
 PER PERDORIM NE SEKTORIN INDUSTRIAL  
 - TOILET PAPER  
 FOR INDUSTRIAL USE

**ALB**

**TE DISPONUESHME NE:**

Leter higjenike 180 gr	Cope 24 / Koli
Leter higjenike 300 gr	Cope 12 / Koli
Leter duarsh zig-zag 175 fije	Cope 15 / Koli
Bobine 2 Kg	Cope 2 / Koli

**ENG**

**AVAILABLE:**

Toilet paper 180 gr	Pcs 24 / Coli
Toilet paper 300 gr	Pcs 12 / Coli
Paper hand zig-zag 175 pcs	Pcs 15 / Coli
Rolls 2 Kg	Pcs 2 / Coli



# STACION SHKUME



## - STACION SHKUME PER PASTRIM NE SEKTORIN INDUSTRIAL - FOAM STATION FOR CLEANING IN THE INDUSTRIAL SECTOR

### ALB

**STACION SHKUME** është një sistem i levizshëm për prodhimin e shkumës, përdoret me ujë dhe rrjetit dhe ajër të presuar. Gjeneron një shkumë të përqendruar me veti ngjitëse që bën të mundur përdorimin për pastrimin e sipërfaqeve të ndryshme, horizontale, vertikale dhe tavanore. Me një konsum të reduktuar të detergjenteve. Eliminimi total i avullimit të bën atë të përshtatshëm në përdorimin e detergjenteve shkumë alkaline duke garantuar siguri maksimale në përdorim.

- **SHKUMA:** Minimumi 2 bar
- **UJI:** Nga 2 deri në 8 bar (normalisht presioni i rrjetit varion nga 2 deri në 4 bar)
- **AJRI:** Nga 3 deri në 10 bar (dendësia e shkumës është e lidhur me presionin e ajrit)
- **SASIA E UJIT:** 250 lt/ore
- **TEMPERATURA E UJIT:** Detergjentët shkumë mund të përdoren me ujë në temperatura ambiente. Për një rendiment më efikas të tyre keshillohet që uji të jetë i vaktë në 20-30°. Jo më i lartë se 50°
- **SIPERFAQE E TRAJTUAR:** Rreth 25 m<sup>2</sup> në minutë
- **DETERGJENTI I PËRDORUR:** Nga 0.1% deri në 10%

### ENG

**FOAM STATION** is a moveable system for the production of foam, used with network water and air conditioning. It generates a concentrated foam with adhesive properties that makes it possible to use cleaning of various surfaces, horizontal, vertical and ceiling. With a reduced intake of detergents. Total evaporation elimination makes it suitable for the use of foam detergents alkaline, ensuring maximum safety in use.

- **WEIGHT:** Minimum 2 bar
- **WATER:** From 2 to 8 bar (normally the mains pressure varies from 2 to 4 bar)
- **AIR:** From 3 to 10 bar (the density of the scale is related to the air pressure)
- **WATER SIZE:** 250 lt / hour
- **WATER TEMPERATURE:** Foam detergents can be used with water at ambient temperatures. For one Their efficiency is advised to be water-proof in 20-30°. Not higher than 50°
- **TREATED SURFACE:** Approximately 25 m<sup>2</sup> per minute
- **DETERGENT USED:** From 0.1% to 10%

## IDS Detergenti shpk

Uzina 12, Ish Kombinati Metalurgjik

3001, Elbasan, Albania

Tel: +355692086130

e-mail: info@idsdetergenti.com

Oferte nr.01/2017

Dt.01/01/2017

Nr	Pershkrimi i artikullit	Njesia	Tipi i ambalazhit	Cmimi Leke/Kg me T.V.SH
1	Foam Clor	Kg	Bidon 20 kg	205
1	Foam Clor	Kg	IBC	185
2	Strong Clor	Kg	Bidon 20 kg	215
2	Strong Clor	Kg	IBC	195
3	Deep Wash	Kg	Bidon 20 kg	190
3	Deep Wash	Kg	IBC	165
4	Alcosan	Kg	Bidon 20 kg	320
5	Alcogel	Kg	Bidon 5 kg	800
6	Antibakt Soap	Kg	Bidon 5 kg	170
6	Antibakt Soap	Kg	Bidon 20 kg	150
7	Foam Soap	Kg	Bidon 5 kg	300
7	Foam Soap	Kg	Bidon 10 kg	250
8	Clorex Gel	Kg	Bidon 20 kg	
8	Clorex Gel	Kg	IBC	
9	Sode Kaustike sol 28-30%	Kg	Bidon 20 kg	80
9	Sode Kaustike sol 28-30%	Kg	IBC	70
10	Wc Gel	Kg	Bidon 5 kg	190
11	Leter higjenike 180 gr	Cope 24	Koli	1500
11	Leter higjenike 300 gr	Cope 12	Koli	1450
11	Leter duarsh Zig-Zag 175 fije	Cope 15	Koli	1500
11	Bobine 2 kg	Cope 2	Koli	1400
12	Stacion shkume	Cope 1		980 Euro

### Shenim

Pagesa:

Cash ose me Banke

Transporti:

Nga kompania IDS Detergenti

Dergesa/Koha:

Sipas marreveshjes dhe grafikut te shperndarjes

Ambalazhi:

I IDS Detergenti ne perdorim me te drejte kthimi

Per kompanine **IDS Detergenti shpk**

Perfaqesuesi:

Organizim me sistem menaxhimi te cilesise dhe drejtimit te certifikuar sipas **ISO 9001:2008** - Certificate nr. **147ALQS**

Organizim me sistem menaxhimi te mjedisit te certifikuar sipas **ISO 14001:2004** - Certificate nr. **137ALES**